



DS-IT02-01

VALVOLE MANUALI

Manual radiator valves

Serie Italia

Valvole manuali utilizzabili per l'intercettazione dei fluidi negli impianti di riscaldamento. Tutte le valvole sono dotate di codolo con autotenuta in gomma per facilitare l'installazione.

Manual radiator valves for the interception of fluids in heating systems. All the valves are equipped with a tailpiece with rubber self-sealing to facilitate the installation.

ART.	0215	0216	0245
	0265	0267	0255 0259

ART.	0205	0206	0207
	0211	0219	0292 0296

Valvole manuali attacco per tubo rame, plastico e multistrato
Manual radiator valves, connection for copper, plastic and multilayer tubes

Valvole manuali attacco per tubo ferro
Manual radiator valves, iron tube connection



Valvole a squadra
Angled radiator valves



Valvole via dritta
Straight radiator valves



Valvole reverse
Reverse radiator valves



Valvole attacco verticale
destra e sinistra
*Double angled radiator valves
right and left*



Valvole attacco verticale
destra e sinistra per radiatori misti
*Double angled radiator valves
right and left for mixed radiators*



PRESTAZIONI

Fluidi d'impiego	Acqua, soluzioni glicolate
Percentuale di glicole max	30%
Max pressione d'esercizio	10 bar
Max Temp. d'esercizio	100°C

MATERIALI E CARATTERISTICHE TECNICHE

Corpo	Ottone stampato: CW617N UNI EN 12165
Calotta	
Componenti interni	Ottone trafilato: CW614N UNI EN 12164
Volantino	ABS
Elementi di tenuta	Gomma EPDM PEROX

PERFORMANCE


Employed fluids	Water, antifreeze solutions
Max. percentage of glycol	30%
Max working pressure	10 bar
Max working temperature	100°C

MATERIALS AND TECHNICAL FEATURES


Body	Pressed brass: CW617N UNI EN 12165
Nut	
Inside components	Extruded brass: CW614N UNI EN 12164
Handwheel	ABS
Seal elements	EPDM PEROX rubber

Diagrammi *Diagrams*


3/8" **0215 0205** Valvole a squadra
 Angled radiator valves
 0267 0219 Valvole reverse
 Reverse radiator valves




1/2" **0215 0205** Valvole a squadra
 Angled radiator valves
 0267 0219 Valvole reverse
 Reverse radiator valves




3/4" **0205** Valvole a squadra
 Angled radiator valves




1" **0205** Valvole a squadra
 Angled radiator valves




3/8" **0216 0206** Valvole via dritta
Straight radiator valves
0245 0207 Valvole attacco verticale
0265 0211 Double angled radiator valves




1/2" **0216 0206** Valvole via dritta
Straight radiator valves
0245 0207 Valvole attacco verticale
0265 0211 Double angled radiator valves
0255 0292 Valvole attacco verticale per radiatori misti
0259 0296 Double angled radiator valves for mixed radiators




3/4" **0206** Valvole via dritta
Straight radiator valves





1" **0206** Valvole via dritta
Straight radiator valves







Installazione raccordi *Connection installation*



Art. 0280



Art. 0281-E281




Art. 0282-0283-E283




Disegni *Drawings*

0215



G	F	H	A	L
3/8"	24x19**	71	20	52
1/2"	24x19**	74	23	55


0216



G	F	H	L
3/8"	24x19**	57	82
1/2"	24x19**	57	82


** = 1/2" - 3/4" E

0245




G	F	H	A	L
3/8"	24x19*	57	26	52
1/2"	24x19*	57	26	52

0265




G	F	H	A	L
3/8"	24x19*	57	26	52
1/2"	24x19*	57	26	52

0267




G	F	H	A	L
3/8"	24x19*	54	26	52
1/2"	24x19*	54	26	52

0255




G	F	H	A	L	B
1/2"	24x19	57	45	52	73

0259




G	F	H	A	L	B
1/2"	24x19	57	45	52	73

0205




G	H	A	L
3/8"	71	20	52
1/2"	74	23	55
3/4"	82	26	60
1"	98	29	70

0206




G	H	L
3/8"	57	84
1/2"	57	84
3/4"	63	95
1"	81	100

0207




G	H	A	L
3/8"	57	26	52
1/2"	57	26	52

0211




G	H	A	L
3/8"	57	26	52
1/2"	57	26	52

0219




G	H	A	L
3/8"	54	26	52
1/2"	54	26	52

0292



G	H	A	L	B
1/2"	57	45	52	73

0296



G	H	A	L	B
1/2"	57	45	52	73

* = 3/4" E



0280

Raccordo per tubo rame a tenuta PTFE.

Copper tube connection with PTFE seal.



0281

Raccordo per tubo rame a tenuta O-ring.

Copper tube connection with O-ring seal.



0282

Raccordo per tubo plastico.

Plastic tube connection.



0283

Raccordo per tubo multistrato.

Multilayer tube connection.



E281 EUROCONO

Raccordo per tubo rame a tenuta O-ring.

Copper tube connection with O-ring seal.



E283 EUROCONO

Raccordo per tubo multistrato.

Multilayer tube connection.



0024

Adattatore 1/2" F x 24/19 F.

Adaptor 1/2" F x 24/19 F.



0027

Prolunga per valvole (30 mm).

Extension for radiator valves (30 mm).



0029

Eccentrico per radiatori

Cam for radiators



R029

Eccentrico per radiatori con calotta

Cam for radiators with nut



0028

Codolo lungo

Long tailpiece



0009

Codolo telescopico

Telescopic tailpiece



0031

Raccordo 1/2" con tubo saldato ø 15 mm.

1/2" connection with welded pipe ø 15 mm.



0490

Rosetta

Wall plate